LAHORE GARRISON UNIVERSITY

Lahore Garrison University has been established to achieve the goal of excellence and quality education in minimum possible time. Lahore Garrison University in The Punjab metropolis city of Lahore is an important milestone in the history of higher education in Pakistan. In order to meet the global challenges, it is necessary to touch the highest literacy rates while producing skillful and productive graduates in all fields of knowledge.

VISION

Our vision is to prepare a generation that can take the lead and put this nation on the path to progress and prosperity through applying their knowledge, skills and dedication. We are committed to help individuals and organizations in discovering their God-gifted potentials to achieve ultimate success actualizing the highest standards of efficiency, effectiveness, excellence, equity, trusteeship and sustainable development of global human society.

MISSION

At present, LGU is running Undergraduate, Graduate, Masters, M.Phil. and Ph.D. programs in various disciplines. Our mission is to serve the society by equipping the upcoming generations with valuable knowledge and latest professional skills through education and research. We also aim to evolve new realities and foresight by unfolding new possibilities. We intend to promote the ethical, cultural and human values in our participants to make them educated and civilized members of society.

Contact: For all inquiries, regarding call for papers, submission of research articles and correspondence, kindly contact at this address:

Sector C, DHA Phase-VI Lahore, Pakistan

Phone: +92- 042-37181823

Email: lgurjcsit@lgu.edu.pk

Copyright © 2017, Lahore Garrison University, Lahore, Pakistan. All rights reserved.

*Published by: Faculty of Computer Science Lahore Garrison University
Lahore, Pakistan*

LGURJCSIT

ISSN 2521-0122 (Online)
ISSN 2519-7991 (Print)
Vol. 2 Issue: 2
April - June 2018

Lahore Garrison University

Research Journal of Computer Science
and Information Technology

www.research.lgu.edu.pk

Lahore Garrison University,
Lahore Pakistan

SCOPE OF THE JOURNAL

The LGURJCSIT is an innovative forum for researchers, scientists and engineers in all domains of computer science and technology to publish high quality, refereed papers. The journal offers articles, survey and review from experts in the field, enhancing insight and understanding of the current trends and state of the art modern technology.

Coverage of the journal includes algorithm and computational complexity, distributed and grid computing, computer architecture and high performance, data communication and networks, pattern recognition and image processing, artificial intelligence, cloud computing, VHDL along with emerging domains like Quantum Computing, IoT, Data Sciences, Cognitive Sciences, Vehicular Automation. Subjective regime is not limited to aforementioned areas, Journal policy is to welcome emerging research trends in the general domain of computer science and technology.

SUBMISSION OF ARTICLES

We invite articles with high quality research for publication in all areas of engineering, science and technology. All the manuscripts submitted for publication are first peer reviewed to make sure they are original, relevant and readable. Manuscripts should be submitted via email only.

To submit manuscripts by email with attach file is strongly encouraged, provided that the text, tables, and figures are included in a single Microsoft Word/Pdf file. Submission guidelines along with official format is available on the following link; www.lgurjcsit.lgu.edu.pk

Contact: For all inquiries, regarding call for papers, submission of research articles and correspondence, kindly contact at this address:

LGURJCSIT, Sector C, DHA Phase-VI Lahore, Pakistan

Phone: +92- 042-37181823

Email: editorinchief@lgu.edu.pk

Editorial Policy and Guidelines for Authors

LGURJCSIT is an open access, peer reviewed quarterly Journal published by LGU Society of Computer Sciences. The Journal publishes original research articles and high quality review papers covering all aspects of computer science and information technology.

The following note set out some general editorial principles. A more detailed style document can be download at www.lgurjcsit.lgu.edu.pk is available. All queries regarding publications should be addressed to editor at email lgurjcsit@lgu.edu.pk. The document must be in word format, other format like pdf or any other shall not be accepted.

The format of paper should be as follows:

- Title of the study (center aligned, font size 14)
- Full name of author(s) (center aligned, font size 10)
- Name of Department
- Name of Institution
- Corresponding author email address.
- Abstract
- Keywords
- Introduction
- Literature Review
- Methodology
- Data analysis/Implementation/Simulation
- Results/ Discussion and Conclusion
- References.

Heading and sub-heading should be differentiated by numbering sequences like, **1. HEADING** (Bold, Capitals) 1.1 *Subheading* (Italic, bold) etc. The article must be typed in Times New Roman with 12 font size 1.5 space, and should have margin 1 inches on the left and right. Length of paper should not be longer than 15 pages, including figures, tables, exhibits and bibliography. Table must have standard caption at the top while figures below with. Figure and table should be in continues numbering. Citation must be in according to the IEEE 2006 style.

Image Segmentation by Using Threshold Techniques

Muhammad Azhar Atta, Muhammad Imtiaz, Arfa Hassan, Shazia Saqib

Lahore Garrison University, Sector C, Phase 6, DHA, Lahore.

azharrashid125@gmail.com, imtiaz.jutt425@gmail.com, arfahassan@lgu.edu.pk,
shaziasaqib@lgu.edu.pk

Abstract:

Image segmentation (IS) is a procedure by which provided picture can be subdivided into many segments and to observe every segment included in the image. The desired result could be searched by observing them and that information we get is helpful for high standard machine vision software. The difficulties of IS has large problems for computer vision. Many procedures which came under IS are Edge based IS (EBIS), Region based IS (RBIS), Threshold based IS (TBIS). The result of observing image which is relying upon the reliability of IS, but exact division of a picture is most difficult issue. The technique we are using in this article is thresholding based segmentation (TBS). The studied article of IS by reader is beneficial for analyzing the suitable IS techniques and also for improvement of efficiency, performance and major goal, that helps in building latest algorithms.

Keywords:

Edge based image segmentation (EBIS), IS, RBIS, TBIS..

Introduction:

IS has an important role in various processed signal techniques with its specifications. This IS technique uses for viewing the good locations of the shaped area with respect to viewable data. The algorithms depending upon divisions were widely associated with segmented parts in biomedical pictures such as CT scan pictures. The reason of IS process is to subdivide the picture into segments. The different techniques in image segmentation are EBIS, RBIS, TBIS,

Clustering Methods and Artificial Neural Networks.

Digital image processing has many latest applications in the fields of remote sensing, medical, photography, movie and video production and security monitoring. New innovative technologies are coming in the fields of image processing, especially in image segmentation domain.

Applications of IS are used for finding things within the clip of movie for

object-based calculations like length and structure, to identify things within the motioned clip for object-based clip reducer, to identify things on various lengths by using sensor with the help of complex calculations. Reason of IS is to spread the resolution of a picture into image segments. The image segmentation is also useful in remote sensing [1].

The major purpose of studying image segmentation techniques is to get best recognition of objects and observe the features in specific image which is separated from its background, and are followed by the clustering of the pixel related to region, texture, boundary etc. This whole process termed as “Segmentation”.

Related Work:

Produced a procedure of edge detection between segments of many average gray level, could be performed to find variety of (texture edges) in which two segments are different w.r.t the mean factor of distinct property [2]. Studied some IS techniques which are based on fuzzy set, EBIS, RBIS, TBIS, Clustering Methods and Artificial Neural Networks (ANN) [3]. Reviewed few IS methods. Which could be classified into three main parts, EBIS, RBIS, TBIS[4]. Summarize the concept of EBIS using normal procedure depends upon the Fuzzy logic, Genetic Algo and ANN[5]. Summarizes Watershed IS technique that is relied upon the concept of Mathematics Morphology [6]. Numerous methods have been derived for solving watersheds.

For the image segmentation many methods are proposed but a few them are as following.

- 1). EBIS
- 2). IS by Clustering
- 3). RBIS

1).Segmentation by Edge Detection:

In IS procedure, the major step is edge detection (ED), which splits a picture into "object" and its "background". ED splits the picture by analyzing the changed pixel value of a picture. ED operators were subdivided into 2 classes as "1st order derivative operators" and "2nd order derivative operators". 2nd order operators give reliable and suitable results. 2nd derivative operator is the canny edge detector.

a) Canny edge detector:

In the first step image is taken and it is to segment using canny edge detection method. For this purpose, first of all convert the picture from "RGB" to "Gray Scale Image". Remove the unwanted noise from the original picture before accessing to find and detection of edges in the first step. The "Gaussian filter" is used in canny algorithm and which is computed with the help of mask. After clearing the image and removal of the noise, and by taking gradient of the picture, calculate the strength of the edge.

After that, the estimated exact edge strength of gradient magnitude on every point is formed by analyzing the gradient columns in the x-direction and another analyzing the gradient rows in the y-direction. After getting the edge strength, edge direction using the gradient of x and y directions is found. That results into a thin line for the picture of output. Thus an image is segmented using edge detection.

2).Segmentation by Clustering:

Clustering Method refers to the pixels having same properties grouped together known as clusters. Grouping is based on maximizing the similarities, to get the optimum results inter class similarities are increased then the quantity of clusters are automatically increased. There are two categories of clustering methods, first is called **k means clustering** and second is **fuzzy method**. K means method can be completed through some specific value of k and the fuzzy method can be completed by using the different segmentation level of the images [7,8].

In the K Means Clustering the K is referred to the number of clusters that has to be decided in the beginning of the algorithm. In this method we have to set the “K” centers, 1 center for every cluster. The center would be away from the other clusters so that the distance can be calculated easily and the data points could predict their clusters accurately, Then distance between each data point and clusters centers is calculated. Then data points are assigned to the cluster whose distance from the cluster center is lowest. The distance can be calculated with the help of conventional mathematical perpendicular concept. After this mean is calculated and now for this iterative process the same data points are chosen before. The distance is calculated and those data points are given which are too closer to cluster. This process is repeated until we observe the shifting in the center of the cluster. The main drawback having this method is to analyze the counting of clusters in a picture [9].

In below figure results are taken by considering the value of k as 3.

Figure No 1: Tissue Microscopic Image

Figure No 2: Object in Cluster 3

RBIS:

Figure No 3: Flow diagram

Proposed Method:

Technique we are using in our article is thresholding image segmentation technique. The important approaches for segmentation of a picture that depends upon the intensity blocks which is known as TBIS. "Global thresholding" searches things and pixels of background using comparison with selected value and use binary division to segment the picture. In "Local thresholding" method the threshold value varies from the image relying upon the local functionalities of the divided segments in the image.

a) Segmentation by Using Adaptive/Local Thresholding:

The original image is segmented by adaptive thresholding. First of all convert the picture from "RGB" to "Gray Scale Image". In this method local adaptive segmentation is used to set threshold values and find the size of rows and columns of the image. After that the initial threshold value is set by finding mean of maximum pixel size of image and minimum pixel size of the image. The resultant value from previous step is initial threshold value. By using this threshold value image is segmented by basic thresholding technique, as the pixels within threshold follows one segment and other follows another segment. The process is repeated, until the threshold value becomes unmatched with the pixel value. The threshold values also continuously obtain for each segment. Thus an image is segmented using adaptive/local thresholding technique.

Algorithm steps:

1. Read an RGB image in MATLAB
2. Change the RGB image into Gray scale image
3. Determine Thresholded value for the input image

4. Segment the image with the help Thresholding
5. Store the Thresholded image with .tif extension
6. Store the Thresholded image to the specified path

Result:

For simulation and results Matlab R2017a tool is used. Obtained result from thresholding by applying the proposed algorithm is as follows:

Figure No 4: Original Image

Figure # 5: RGB2Gray Scale image

Figure No 6: Threshold Image

Figure No 7: Original Image

Figure No 8: RGB 2 Gray Image

Figure No 9: Threshold Image

Figure 1 and 4 shows the original image then in figure 2 and 5 convert them to gray scale and then in figure 3 and 6 the image divided into segments.

Conclusion:

In this article, we discussed different techniques of image segmentation with their output results. Each technique has its suitable fields of application. The major factors of image segmentation were accuracy, complexity, efficiency and interactivity. In this article image segmentation done with the help of Thresholding technique simply converting a RGB image into Gray scale and compute the Gray scale image by finding threshold and segment the image. The image segmentation techniques i.e Thresholding, Clustering, Region based, edge detection are used in many technologies including face recognition, pattern recognition, for medical image analysis etc.

References:

- [1]. Wan, Minjie, Gu, Guohua, Sun, Jianhong, Qian, Weixian, Ren, Kan, Chen, Qian and Maldague, Xavier." A Level Set Method for Infrared Image Segmentation Using Global and Local Information", Remote sensing, 10(7), 1039; (2018).

- [2]. Umit Ilhana, Ahmet Ilhan, " Brain tumor segmentation based on a new threshold approach ", ICSCCW 2017, 24-25 August 2017, Budapest, Hungary.
- [3]. Venkata Srinivasu Veeram and Bandaru Satish Babu, "A Relative Study on the Segmentation Techniques of Image Processing", Volume 4(5), May-2017, pp. 155-160.
- [4]. Naveen Tokas, Shruti Karkra, Manoj Kumar Pandey "Comparison of Digital Image Segmentation Techniques. A Research Review", IJCSMC, Vol. 5(5), May 2016, pp. 215 – 220
- [5]. Beucher et al., 1979; Najman and Schmitt, 1996; Meyer et al., 1996; Lezoray et al., 2003; Huguet et al., 2004.
- [6]. A. Rosenfeld, "A Nonlinear Edge Detection Techniques", Proceedings of the IEEE, May 1970.
- [7]. N. R. Pal and S. K. Pal, "A Review on Image Segmentation Techniques", Pattern Recognition, vol. 26, no. 9, pp. 1277-1294, 1993.
- [8]. K. S. Fu, "A survey on image segmentation", Pattern Recognition, vol. 13, pp. 3-16, 1981.
- [9]. N. Senthikumaran and R. Rajesh, "Edge detection techniques for image segmentation – A survey", Proceedings for the International Conference on Managing Next Generation Software Applications (MNGSA-08), 2008, pp. 749-760.